



Rosalia


60CM X 60CM
MIRROR POLISH
FLOOR TILES




Serving You Excellence




RO 66700 DBR



RO 66701 WH



RO 66702 WH




RO 66703 MCL




RO 66704 GY



RO 66705 GY



RO 66706 BE



RO 66707 BR




RO 66708 BR



RO 66709 WH



RO 66710 GY



RO 66711 WH

Ceramics Glaze Tiles

Technical Specification				
Group- Bla (40x40cm, 30X60cm,60X60cm,60X120cm)				
Test Description	Test Method	International Standard ISO 13006:2018(E)	BDS ISO 13006-2015 Standard	Star Ceramics Standard
Dimensional & Surface Quality				
Length & Width	EN ISO-10545-2	± 0.6%	± 0.6%	± 0.3%
Thickness	EN ISO-10545-2	± 0.5%	± 0.5%	± 0.5%
Straightness of Slides	EN ISO-10545-2	± 0.5%	± 0.5%	± 0.5%
Rectangularity	EN ISO-10545-2	± 0.6%	± 0.6%	± 0.4%
Surface Flatness	EN ISO-10545-2	± 0.5%	± 0.5%	± 0.3%
Surface quality	EN ISO-10545-2	A minimum of 95% of the tiles shall be free from visible defects	A minimum of 95% of the tiles shall be free from visible defects	A minimum of 98% of the tiles shall be free from visible defects
Physical Properties				
Water Absorption	EN ISO-10545-3	≤ 0.5%	≤ 0.5%	≤ 0.3%
Modulus of Rupture	EN ISO-10545-4	≥ 35N/mm ²	≥ 35N/mm ²	≥ 40N/mm ²
Resistance to Deep Abrasion	EN ISO-10545-6	≤ 175mm ³	≤ 175mm ³	≤ 150mm ³
Resistance to Surface Abrasion	EN ISO-10545-7	Report abrasion class & cycle passed	Report abrasion class & cycle passed	Report abrasion class & cycle passed
Linear Thermal Expansion	EN ISO-10545-8	9Max	9Max	9Max
Resistance to Thermal Shock	EN ISO-10545-9	No Damage	No Damage	No Damage
Crazing Resistance(Glazed)	EN ISO-10545-11	No Crazing	No Crazing	No Crazing
Frost resistance	EN ISO-10545-12	No Damage	No Damage	Resistant
Chemical properties				
Resistance to Chemicals(Glazed)	EN ISO-10545-13	No Damage	No Damage	No Damage
Resistance to staining	EN ISO-10545-14	Resistant	Resistant	Resistant
Color Resistance	DIN 51094	No Color Change	No Color Change	No Color Change

SPECIFICATION

MOISTURE AND STAIN RESISTANT



ACID AND CHEMICAL RESISTANT



EASY TO CLEAN AND MAINTAIN



SAFE FOR THE ENVIRONMENT



SCRATCH RESISTANT



WATER RESISTANT



FADE RESISTANT



MIRROR POLISH



ELEGANCE -EMBOSSSED IN EVERY -INCH



STAR CERAMICS LIMITED

CORPORATE OFFICE

Bijoy Rakeen City (Level-06), Plot-1/2
Block- D, Section -15, Mirpur, Dhaka-1216
Contact: +880 1755 582872

CHATTOGRAM OFFICE

Agrabad access Road, Chotopol, Halishahar
Chattogram-4100
Contact: +880 1713 755788

DISPLAY CENTERS

Mirpur

Bijoy Rakeen City (Level-05)
Plot-1/2, Block- D, Section -15
Mirpur, Dhaka-1216
Contact: +880 1755 582874

Hatirpool

Hamid Plaza, 300/5/A/1
Bir Uttam, C.R Datta Road
Hatirpool, Dhaka-1000
Contact: +880 1322903491

Sylhet

Gazi Borhan Uddin Road,
Nowgaon, Mendibag, Sylhet
Contact: +880 1755 649796

Scan for Catalogue



Scan for Showroom Location



FACTORY

Riaznagar, Baghasura, Madhabpur, Habiganj, Sylhet



Serving You Excellence



16759

